



Injectable formulations

Oral formulations

Medicated premixes

Feed supplements

Disinfectants

COCCIKLASS 50 mg/ml

Oral suspension

Toltrazuril



Oral formulations

Mevet

Polígono Industrial El Segre

Parc. 409-410

25191 Lleida (Spain)

T. +34 973 210 269

www.mevet.es

Marketed by:

MPA Veterinary medicines and additives S.L.

Av. Corts Catalanes, 5-7

08173 Sant Cugat del Vallès (Spain)

T. +34 93 747 96 59

www.mpaveterinary.com

Oral formulations

COCCIKLASS 50 mg/ml Oral suspension Toltrazuril



COMPOSITION PER ml

Active substance:

Toltrazuril 50 mg

Excipients:

Sodium benzoate (E211) 2,1 mg

Sodium propionate (E281) 2,1 mg

TARGET SPECIES

Pigs (piglet 3 – 5 days old).

INDICATIONS FOR USE

For the prevention of clinical signs of coccidiosis in neonatal piglets (3 – 5 days old) on farms with a confirmed history of coccidiosis caused by *Isospora suis*.

WITHDRAWAL PERIOD

Meat and offal: 73 days.

DOSAGE FOR EACH SPECIES, ROUTE AND METHOD OF ADMINISTRATION

For oral use.

Individual animal treatment.

Each pig to be treated on day 3 – 5 of life with a single oral dose of 20 mg toltrazuril/kg b.w. (equivalent to 0.4 ml of product/kg b.w.).

SPECIAL PRECAUTIONS FOR STORAGE

This veterinary medicinal product does not require any special storage conditions.

PACKAGE SIZES

Box with 1 bottle of 250 ml

Box with 15 bottles of 250 ml

Bottle of 1 litre

