



Injectable formulations
Oral formulations
Medicated premixes
Nutritional supplements

NAUKLASS-L

Hydrosoluble complementary feed in oral solution

Acidifier + essential oils



COMPOSITION

Glycerol + Water	29,3 %
Mono, di and triglycerides of medium-chain fatty acids (C3, C4, C8 and C10)	16,8 %

Additives per kg

Formic acid (1K236)	285,0 g
Propionic acid (1K280)	150,0 g
Sodium formate (1K237i)	79,0 g
Carvacrol	10,0 g
Cinnamaldehyde	10,0 g
Copper (II) sulphate pentahydrate (3b405)	2,5 g

PROPERTIES

- The synergies between organic acids, medium chain fatty acid glycerides and copper contribute to the control of Gram+ and Gram- pathogens such as *Clostridium*, *Streptococcus*, *Staphylococcus*, *Salmonella*, *E. coli*...
- Copper also acts on filamentous fungi and algae in the pipe, preventing the formation of biofilm.

INDICATIONS AND USES

Target species: Pigs, poultry, rabbits and ruminants.

Period of use: All.

Indications: Enteric processes: acidification and promotion of intestinal eubiosis.

DOSAGE AND ADMINISTRATION

To be administered in drinking water.

All species: Administer 0,5-1,5 L of Nauklass-L per 1000 L of drinking water.

STORAGE

Store in a cool and dry place and protected from light.

SHELF-LIFE

24 months.

PACKAGE SIZES

Container of 10 kg.

Container of 25 kg.



Mevet
Pol. Ind. El Segre P-410
25191 Lleida, Spain
T. +34 973 210 269

Animal Feeding Registration N°. α ESP 25100069

The product complies with European legislation:

- Regulation (EC) n° 1831/2003 of the European Parliament and of the Council of 12 January 2003 laying down requirements for feed hygiene.
- Regulation (EC) n° 767/2009 of the European Parliament and of the Council of 13 July 2009 on the placing on the market and use of feed.
- Regulation (EC) n° 1831/2003 of the European Parliament and of the Council of 22 September 2003 on additives for use in animal nutrition.
- Directive 2002/32/EC of the European Parliament and of the Council of 7 May 2002 on undesirable substances in animal feed.